Pomegranate #TCDL-CFRA-BOWL-NPOM

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 3/23/2018 Revision date: Supersedes: Version:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Pomegranate

Product code : TCDL-CFRA-BOWL-NPOM

Type of product : Perfumes, fragrances

Product group : Finished Good

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use

Industrial/Professional use spec : For professional use only

Use of the substance/mixture : Perfumes, fragrances

Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cosy Owl, 20-28 Albert Road, Braintree, Essex, CM7 3JQ, UK
Tel: +44 1376 560348
enquiries@cosyowl.com - www.cosyowl.com

1.4. Emergency telephone number

Emergency number: Tel: +44-1376 560348

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :

GHS07

GHS09

Signal word (CLP) : Warning

Hazardous ingredients : Lime oil distilled ; Methyl oct-2-ynoate; Aldehyde C-16; Benzyl benzoate; Hexyl cinnamic aldehyde

Hazard statements (CLP) : H302 - Harmful if swallowed.
H317 - May cause an allergic skin reaction.
H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear eye protection, face protection, protective clothing, protective gloves.
P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9	47.7 - 67.7	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
Aldehyde C-16	(CAS-No.) 77-83-8 (EC-No.) 201-061-8	5 - 10	Aquatic Chronic 2, H411 Skin Sens. 1B, H317
HEXAMETHYLINDANOPYRAN	(CAS-No.) 1222-05-5 (EC-No.) 214-946-9 (EC Index-No.) 603-212-00-7	1.25 - 2.5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Verdox	(CAS-No.) 88-41-5 (EC-No.) 201-828-7	1.125 - 2.25	Aquatic Chronic 2, H411
Dimethylbenzyl carbinyl butyrate(DMBCB)	(CAS-No.) 10094-34-5 (EC-No.) 233-221-8	1 - 2	Aquatic Chronic 2, H411
Aldehyde C-14	(CAS-No.) 104-67-6 (EC-No.) 203-225-4	0.875 - 1.75	Aquatic Chronic 3, H412
Citronellyl acetate (mixed Isomers)	(CAS-No.) 150-84-5 (EC-No.) 205-775-0	0.75 - 1.5	Aquatic Chronic 2, H411 Skin Irrit. 2, H315
Vanillin	(CAS-No.) 121-33-5 (EC-No.) 204-465-2	0.75 - 1.5	Eye Irrit. 2, H319
Veltol plus crystals	(CAS-No.) 4940-11-8 (EC-No.) 225-582-5	0.5 - 1	Acute Tox. 4 (Oral), H302
Hexyl cinnamic aldehyde	(CAS-No.) 101-86-0 (EC-No.) 202-983-3	0.5 - 1	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Ethyl acetate substance with a Community workplace exposure limit	(CAS-No.) 141-78-6 (EC-No.) 205-500-4 (EC Index-No.) 607-022-00-5	0.25 - 0.5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Methyl oct-2-ynoate	(CAS-No.) 111-12-6 (EC-No.) 203-836-6	0.25 - 0.5	Acute Tox. 4 (Oral), H302 Skin Sens. 1A, H317
Lime oil distilled	(CAS-No.) 8008-26-2 (EC-No.) 616-919-0	0.1 - 0.2	Asp. Tox. 1, H304 Eye Irrit. 2, H319 Aquatic Chronic 2, H411 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317

Allergen report available upon request.

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of water/…. If skin irritation or rash occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). Wash contaminated clothing before reuse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.
Special rules on packaging : Store in a closed container.
Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)
No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethyl acetate (141-78-6)		
EU	IOELV TWA (mg/m³)	734 mg/m³
EU	IOELV TWA (ppm)	200 ppm
EU	IOELV STEL (mg/m³)	1468 mg/m³
EU	IOELV STEL (ppm)	400 ppm
Austria	MAK (mg/m³)	1050 mg/m³
Austria	MAK (ppm)	300 ppm
Austria	MAK Short time value (mg/m³)	2100 mg/m³
Austria	MAK Short time value (ppm)	600 ppm
Belgium	Limit value (mg/m³)	1461 mg/m³
Belgium	Limit value (ppm)	400 ppm
Bulgaria	OEL TWA (mg/m³)	800 mg/m³
Croatia	GVI (granična vrijednost izloženosti) (ppm)	200 ppm
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	400 ppm
Czech Republic	Expoziční limity (PEL) (mg/m³)	700 mg/m³
Denmark	Grænseværdie (langvarig) (mg/m³)	540 mg/m³
Denmark	Grænseværdie (langvarig) (ppm)	150 ppm
Estonia	OEL TWA (mg/m³)	500 mg/m³
Estonia	OEL TWA (ppm)	150 ppm
Estonia	OEL STEL (mg/m³)	1100 mg/m³
Estonia	OEL STEL (ppm)	300 ppm
Finland	HTP-arvo (8h) (mg/m³)	730 mg/m³
Finland	HTP-arvo (8h) (ppm)	200 ppm
Finland	HTP-arvo (15 min)	1470 mg/m³
Finland	HTP-arvo (15 min) (ppm)	400 ppm
France	VME (mg/m³)	1400 mg/m³
France	VME (ppm)	400 ppm
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	730 mg/m³ (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	TRGS 900 Occupational exposure limit value (ppm)	200 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Greece	OEL TWA (mg/m³)	1400 mg/m³
Greece	OEL TWA (ppm)	400 ppm
Hungary	AK-érték	1400 mg/m³
Hungary	CK-érték	1400 mg/m³
Ireland	OEL (8 hours ref) (ppm)	200 ppm
Ireland	OEL (15 min ref) (ppm)	400 ppm
Latvia	OEL TWA (mg/m³)	200 mg/m³
Lithuania	IPRV (mg/m³)	500 mg/m³
Lithuania	IPRV (ppm)	150 ppm
Lithuania	NRV (mg/m³)	1100 mg/m³
Lithuania	NRV (ppm)	300 ppm
Poland	NDS (mg/m³)	734 mg/m³
Poland	NDSCh (mg/m³)	1468 mg/m³

Ethyl acetate (141-78-6)		
Portugal	OEL TWA (ppm)	400 ppm
Romania	OEL TWA (mg/m³)	400 mg/m³
Romania	OEL TWA (ppm)	111 ppm
Romania	OEL STEL (mg/m³)	500 mg/m³
Romania	OEL STEL (ppm)	139 ppm
Slovakia	NPHV (priemerná) (mg/m³)	1500 mg/m³
Slovakia	NPHV (priemerná) (ppm)	400 ppm
Slovakia	NPHV (Hraničná) (mg/m³)	1100 mg/m³
Slovenia	OEL TWA (mg/m³)	1400 mg/m³
Slovenia	OEL TWA (ppm)	400 ppm
Slovenia	OEL STEL (mg/m³)	1400 mg/m³
Slovenia	OEL STEL (ppm)	400 ppm
Spain	VLA-ED (mg/m³)	1460 mg/m³
Spain	VLA-ED (ppm)	400 ppm
Sweden	nivågränsvärde (NVG) (mg/m³)	500 mg/m³
Sweden	nivågränsvärde (NVG) (ppm)	150 ppm
Sweden	kortidsvärde (KTV) (mg/m³)	1100 mg/m³
Sweden	kortidsvärde (KTV) (ppm)	300 ppm
United Kingdom	WEL TWA (ppm)	200 ppm
United Kingdom	WEL STEL (ppm)	400 ppm
Norway	Grenseverdier (AN) (mg/m³)	550 mg/m³
Norway	Grenseverdier (AN) (ppm)	150 ppm
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	687.5 mg/m³ (value calculated)
Norway	Grenseverdier (Korttidsverdi) (ppm)	187.5 ppm (value calculated)
Switzerland	MAK (mg/m³)	1400 mg/m³
Switzerland	MAK (ppm)	400 ppm
Switzerland	KZGW (mg/m³)	2800 mg/m³
Switzerland	KZGW (ppm)	800 ppm
Australia	TWA (mg/m³)	720 mg/m³
Australia	TWA (ppm)	200 ppm
Australia	STEL (mg/m³)	1440 mg/m³
Australia	STEL (ppm)	400 ppm
Canada (Quebec)	VEMP (mg/m³)	1440 mg/m³
Canada (Quebec)	VEMP (ppm)	400 ppm
USA - ACGIH	ACGIH TWA (ppm)	400 ppm
USA - IDLH	US IDLH (ppm)	2000 ppm (10% LEL)
USA - NIOSH	NIOSH REL (TWA) (mg/m³)	1400 mg/m³
USA - NIOSH	NIOSH REL (TWA) (ppm)	400 ppm
USA - OSHA	OSHA PEL (TWA) (mg/m³)	1400 mg/m³
USA - OSHA	OSHA PEL (TWA) (ppm)	400 ppm

Benzyl benzoate (120-51-4)		
USA - NIOSH	NIOSH REL (TWA) (mg/m³)	<=

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses. Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear appropriate mask
Environmental exposure controls	: Avoid release to the environment.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber.
Odour	: Fruity.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: >= 93.33 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: ≈ 1.08
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

ATE CLP (oral)	728.762 mg/kg bodyweight

Skin corrosion/irritation	:	Not classified
Serious eye damage/irritation	:	Not classified
Respiratory or skin sensitisation	:	May cause an allergic skin reaction.
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
STOT-single exposure	:	Not classified
STOT-repeated exposure	:	Not classified
Aspiration hazard	:	Not classified
Potential adverse human health effects and symptoms	:	Based on available data, the classification criteria are not met. Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

Pomegranate #TCDL-CFRA-BOWL-NPOM	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Pomegranate #TCDL-CFRA-BOWL-NPOM	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	:	3082
UN-No. (IMDG)	:	3082
UN-No. (IATA)	:	3082
UN-No. (ADN)	:	3082
UN-No. (RID)	:	3082

14.2. UN proper shipping name

Proper Shipping Name (ADR)	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG)	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IATA)	:	Environmentally hazardous substance, liquid, n.o.s.
Proper Shipping Name (ADN)	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (RID)	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document description (ADR)	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN), 9, III, (E)
Transport document description (IMDG)	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN), 9, III, MARINE POLLUTANT
Transport document description (IATA)	:	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (HEXAMETHYLINDANOPYRAN), 9, III

Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9
Danger labels (ADR) : 9

:



IMDG

Transport hazard class(es) (IMDG) : 9
Danger labels (IMDG) : 9

:

IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9

:



ADN

Transport hazard class(es) (ADN) : 9
Danger labels (ADN) : 9

:

RID

Transport hazard class(es) (RID) : 9
Danger labels (RID) : 9

:

14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 601, 375
Limited quantities (ADR)	: 5l
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	:
Tunnel restriction code (ADR)	: E
EAC code	: •3Z

- Transport by sea

Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A

- Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L

- Inland waterway transport

Classification code (ADN)	: M6

Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

- Rail transport

Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	Ethyl acetate - Lime oil distilled
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Pomegranate #TCDL-CFRA-BOWL-NPOM- Ethyl acetate - Lime oil distilled - Methyl oct-2-ynoate - Citronellyl acetate (mixed Isomers) - Aldehyde C-16 - Benzyl benzoate - Hexyl cinnamic aldehyde
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Pomegranate #TCDL-CFRA-BOWL-NPOM- Lime oil distilled - Citronellyl acetate (mixed Isomers) - Verdox - Dimethylbenzyl carbinyl butyrate(DMBCB) - Aldehyde C-16 - Aldehyde C-14 - Benzyl benzoate - Hexyl cinnamic aldehyde - HEXAMETHYLINDANOPYRAN

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

Reference to AwSV	: Water hazard class (WGK) 2, significant hazard to waters (Classification according to AwSV, Annex 1)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product